





**YOUR BEST
COMPANION
ON THE TRIP**

Empower Your Life



Glowtech Limited
Add: Room D, Tower A, Billion Centre, 1Wang Kwong Road, Kowloon Bay, HK.
Contact: Rebecca Wang
Email: Rebecca@glowtechpower.com



SOLAR OUTDOOR SERIES



Model No. LP-22QGLi



Net Capacity:	25L
Refeigerant:	R134a/R600a
Voltage:	DC 12/24V OR 110-240V
Power:	50W
Built-in lithium battery:	12V 25AH
Solar controller:	10A
Tempearture:	-20° C to 10° C
Insulation Materials	C ₃ H ₈ /C-Pentane
N.W/G.W (KGS)	19.0/22.5
Product Size(mm)	644x386x351
Carton Size(mm)	660x460x430



Model No. LP-32GQLi



Net Capacity:	25L
Refeigerant:	R134a/R600a
Voltage:	DC 12/24V OR 110-240V
Power:	50W
Built-in lithium battery:	12V 25AH
Solar controller:	10A
Tempearture:	-20° C to 10° C
Insulation Materials	C ₃ H ₈ /C-Pentane
N.W/G.W (KGS)	20.0/23.5
Product Size(mm)	644x386x389
Carton Size(mm)	686x460x460





SOLAR OUTDOOR SERIES



Model No. LP-22QGLi



Net Capacity:	25L
Refeigerant:	R134a/R600a
Voltage:	DC 12/24V OR 110-240V
Power:	50W
Built-in lithium battery:	12V 25AH
Solar controller:	10A
Tempearture:	-20° C to 10° C
Insulation Materials	C ₃ H ₈ /C-Pentane
N.W/G.W (KGS)	19.0/22.5
Product Size(mm)	644x386x351
Carton Size(mm)	660x460x430



Model No. LP-32GQLi



Net Capacity:	25L
Refeigerant:	R134a/R600a
Voltage:	DC 12/24V OR 110-240V
Power:	50W
Built-in lithium battery:	12V 25AH
Solar controller:	10A
Tempearture:	-20° C to 10° C
Insulation Materials	C ₃ H ₈ /C-Pentane
N.W/G.W (KGS)	20.0/23.5
Product Size(mm)	644x386x389
Carton Size(mm)	686x460x460

